

PRACTICE: 1001 WEB DEMO PRACTICE

American College of Cardiology Practice Executive Summary Quality Report


Report Type: All Measure





PINN-14: Advance Care Plan

Percentage of patients aged 65 years and older who have an advance care plan or surrogate decision maker documented in the medical record or documentation in the medical record that an advance care plan was discussed but the patient did not wish or was not able to name a surrogate decision maker or provide an advance care plan




DURATION	DEN	DEN EXCL	DEN EXPT	NUM	NUM EXCL	MET	NOT MET	PR
2020Q4	76	19	0	0	0	0	57	0%
2020Q3	0	0	0	0	0	0	0	0%
2020Q2	38	0	0	38	0	38	0	100%
2020Q1	38	0	0	38	0	38	0	100%





PINN-104_1: Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention

Percentage of patients aged 18 years and older who were screened for tobacco use one or more times within 24 months




DURATION	DEN	DEN EXCL	DEN EXPT	NUM	NUM EXCL	MET	NOT MET	PR
2020Q4	48	0	0	0	0	0	48	0%
2020Q3	108	0	6	18	0	18	84	17.65%
2020Q2	59	0	0	59	0	59	0	100%
2020Q1	97	0	0	97	0	97	0	100%





PINN-104_2: Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention

Percentage of patients aged 18 years and older who were screened for tobacco use and identified as a tobacco user who received tobacco cessation intervention




DURATION	DEN	DEN EXCL	DEN EXPT	NUM	NUM EXCL	MET	NOT MET	PR
2020Q4	4	0	0	4	0	4	0	100%
2020Q3	0	0	0	0	0	0	0	0%
2020Q2	0	0	0	0	0	0	0	0%
2020Q1	72	0	11	28	0	28	33	45.9%





PINN-104_3: Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention

Percentage of patients aged 18 years and older who were screened for tobacco use one or more times within 24 months AND who received tobacco cessation intervention if identified as a tobacco user




DURATION	DEN	DEN EXCL	DEN EXPT	NUM	NUM EXCL	MET	NOT MET	PR
2020Q4	0	0	0	0	0	0	0	0%
2020Q3	40	0	0	0	0	0	40	0%
2020Q2	74	0	0	38	0	38	36	51.35%
2020Q1	38	0	0	38	0	38	0	100%





PINN-107: Coronary Artery Disease (CAD): Angiotensin-Converting Enzyme (ACE) Inhibitor or Angiotensin Receptor Blocker (ARB) Therapy - Diabetes or Left Ventricular Systolic Dysfunction (LVEF < 40%)

Percentage of patients aged 18 years and older with a diagnosis of coronary artery disease seen within a 12 month period who also have diabetes OR a current or prior Left Ventricular Ejection Fraction (LVEF) < 40% who were prescribed ACE inhibitor or ARB therapy




DURATION	DEN	DEN EXCL	DEN EXPT	NUM	NUM EXCL	MET	NOT MET	PR
2020Q4	76	0	0	52	0	52	24	68.42%
2020Q3	80	0	1	0	0	0	79	0%
2020Q2	204	0	18	132	0	132	54	70.97%
2020Q1	96	0	0	96	0	96	0	100%





PINN-108: Cardiac Rehabilitation Patient Referral from an Outpatient Setting

Percentage of patients evaluated in an outpatient setting who within the previous 12 months have experienced an acute myocardial infarction (MI), coronary artery bypass graft (CABG) surgery, a percutaneous coronary intervention (PCI), cardiac valve surgery, or cardiac transplantation, or who have chronic stable angina (CSA) and have not already participated in an early outpatient cardiac rehabilitation/secondary prevention (CR) program for the qualifying event/diagnosis who were referred to a CR program




DURATION	DEN	DEN EXCL	DEN EXPT	NUM	NUM EXCL	MET	NOT MET	PR
2020Q4	0	0	0	0	0	0	0	0%
2020Q3	76	0	19	57	0	57	0	100%
2020Q2	33	0	0	33	0	33	0	100%
2020Q1	43	0	0	43	0	43	0	100%





PINN-161: Atrial Fibrillation and Atrial Flutter: Chronic Anticoagulation Therapy

Percentage of patients aged 18 years and older with nonvalvular atrial fibrillation (AF) or atrial flutter who were prescribed warfarin OR another FDA-approved oral anticoagulant drug for the prevention of thromboembolism during the measurement period



DURATION	DEN	DEN EXCL	DEN EXPT	NUM	NUM EXCL	MET	NOT MET	PR
2020Q4	0	0	0	0	0	0	0	0%
2020Q3	76	10	9	0	0	0	57	0%
2020Q2	24	0	0	24	0	24	0	100%
2020Q1	52	0	0	52	0	52	0	100%